


We claim:

1. A fungicidal mixture for controlling phytopathogenic harmful fungi, which mixture comprises

5

- 1) the triazolopyrimidine derivative of the formula I




I

and

10

- 2) thiophanate-methyl of the formula II



II

in a synergistically effective amount.

- 15 2. The fungicidal mixture according to claim 1 comprising the compound of the formula I and the compound of the formula II in a weight ratio of from 100:1 to 1:100.
- 20 3. A composition comprising a liquid or solid carrier and the mixture according to claim 1 or 2.
- 25 4. A method for controlling phytopathogenic harmful fungi which comprises treating the fungi, their habitat or the seed, the soil or the plants to be protected against fungal attack with a synergistically effective amount of the compound I and the compound II according to claim 1.
5. The method according to claim 4, wherein the compounds I and II according to claim 1 are applied simultaneously, that is jointly or separately, or in succession.
- 30 6. The method according to claim 4 or 5, wherein rice-pathogenic harmful fungi are controlled.


7. The method according to any of claims 4 to 6, wherein the compounds I and II according to claim 1 or the mixtures according to claim 1 or 2 are applied in an amount of from 5 g/ha to 1000 g/ha.
- 5 8. The method according to any of claims 4 to 6, wherein the compounds I and II according to claim 1 or the mixture according to claim 1 or 2 are/is applied in an amount of from 1 to 1000 g/100 kg of seed.
9. Seed comprising the mixture according to claim 1 or 2 in an amount of from 1 to
10 1000 g/100 kg.
10. The use of the compounds I and II according to claim 1 for preparing a composition suitable for controlling harmful fungi.

Fungicidal mixtures

Abstract

5 Fungicidal mixtures comprising, as active components,

1) the triazolopyrimidine derivative of the formula I




I

and

10

2) thiophanate-methyl of the formula II



II

15 in a synergistically effective amount, methods for controlling harmful fungi using mixtures of the compound I with the compound II and the use of the compound I with the compound II for preparing such mixtures, and also compositions comprising these mixtures.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record.

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINE(S) OR MARK(S) ON ORIGINAL DOCUMENT**
- ☒ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☒ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.